


Vibe Kit 02

VBK-2

Vibe is a collection of cleverly-designed state-of-the-art 10' exhibit booths. Vibe combines light-weight aluminum structures with pillowcase dye-sublimated printed fabric graphics for a truly unique appearance and experience. Vibe is efficient, easy to assemble and disassemble and offers remarkable style options and choices.



features and benefits:



- State-of-the-art snap button aluminum structure
- Frame constructed of 30mm lightweight aluminum tube
- High-quality dye-sublimated zipper pillowcase graphics
- Easy step-by-step instructions
- Kit includes two frames, four rigid graphic accents, two fabric pillowcase graphics, and two wheeled molded cases
- Lifetime warranty on hardware against manufacturer defects

dimensions:

Hardware	Graphic
Assembled unit: 117.5" w x 92" h x 47" d 2984.5mm(w) x 2336.80mm(h) x 1193.8mm(d)	Foreground: Total visible area: 108.75" w x 91.6" h 2762.25mm(w) x 2326.64mm(h)
	Background: Total visible area: 114" w x 92" h 2895.6mm(w) x 2336.8mm(h)
Shipping dimensions - ships in 2 cases Two OCL cases, each: 19" l x 19" w x 56" h 482.6mm(l) x 482.6mm(w) x 1422.4mm(h)	Top left header: Total visible area: 48.984" w x 21.149" h 1244.19mm(w) x 537.1846 Top right
Approximate shipping weight (entire kit): 130 lbs/58.95 kg	Top right header: Total visible area: 38.125" w x 12.2938" h 968.375mm(w) x 312.26mm(h)
	Side top wing: Total visible area: 43.2" w x 11.881" h 1097.28mm(w) x 301.78mm(h)
	Side bottom wing: Total visible area: 42.782" w x 11.881" h 1086.66mm(w) x 301.78mm(h)
	Refer to related graphic templates for more information
additional information: Graphic materials: Dye-sublimated fabric & UV prints on 6mm sintra	
Headers and wings can be upgraded to frosted plex	


We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

Parts included			
Part Label	Qty	Part Label	Qty
1	x1	11B	x1
2	x1	12B	x1
3	x1	13B	x1
4	x1	14B	x1
5	x1	15B	X1
6	x1	16B	X1
7	x1	Feet	x2
8	x1	Header clamp	x8
9	x1	Top right header graphic	x1
10	x1	Top left header graphic	x1
11	x1	Side top wing graphic	x1
12	x1	Side bottom wing graphic	x1
13	x1	Tool	x1
14	x1		
15	x1		
1B	x1		
2B	x1		
3B	x1		
4B	x1		
5B	x1		
6B	x1		
7B	x1		
8B	x1		
9B	x1		
10B	x1		





Step 1. Assemble background frame

Lay pieces out flat and assemble in numerical order as shown. Numbers will be on the back side of the tube. When frame is complete, stretch background graphic over the frame starting at the top. Pull tightly all the way down assuring holes in graphic align with knobs on frame and secure with zipper.








Note: Knobs should face forward when frame stands upright.




Step 2.

Attach feet to background frame using details shown below. Stand unit upright. Adjust the height of feet to ensure display is level.




Step 3. Assemble foreground frame


Lay pieces out flat and assemble in numerical order as shown. Numbers will be on the back side of the tube. When frame is complete, stretch foreground graphic over the frame starting at the bottom. Pull tightly all the way up assuring holes in graphic align with knobs on frame and secure with zipper.






Note: Knobs should face backwards when frame stands upright.



Graphic will fit snugly over the frame with the zipper at the top.




Step 4. Attach foreground frame to background frame
Attach two units together using 14B, 15B and 16B.



Step 5.

Attach top left and top right headers to foreground frame where designated in diagram. Then attach side top and side bottom wings to front frame where designated in diagram.

Use tube clamp and header attachment detail below.



TUBE CLAMP & HEADER


Attach header/graphic to part A. Place part A against tube. Gently tighten part B using hex key.

5/32"
HEX KEY


Check out these related products:




Vibe Kit 01




Vibe Kit 02



Vibe Kit 03



Vibe Kit 04



Vibe Kit 05



Vibe Kit 06
