Carina 10' x 10' Truss System Dye Sub Printed

Panels CR1 and CR3:

Total Graphic Area: 41.75"w x 87.75"h Finished Size: 37.75"w x 83.75"h

Panel CR2:

Total Graphic Area: 53"w x 87.75"h Finished Size: 49"w x 83.75"h

Panels CR4, CR5, CR6:

Total Graphic Area: 51.25"w x 10"h

Finished Size: 47.25" w x 6"h

Template requires 2" bleed around the perimeter

FS = Graphic is front side mounted (3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted (3/4" w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging= 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:


- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS OR-G-CR1

panel is notched on top and bottom and inward hinged on right side

— bleed area

— trim line



BS OR-G-CR3

panel is notched on top and bottom and inward hinged on left side

gray area will be obstructed once finished and mounted

FS OR-G-CR4

FS OR-G-CR5

FS OR-G-CR6