


Theta
10' x 20' Truss System
Dye Sub Printed



TEMPLATE IS @ 1/2 SCALE

Panels TH1 and TH8:
Total Graphic Area: 29.75" w x 65.75h
Finished Size: 25.75"w x 61.75"h (contour cut)

Panels TH2 and TH7:
Total Graphic Area: 43.5"w x 87.75"h
Finished Size: 39.5"w x 83.75"h

Panels TH3, TH4, TH5 and TH6:
Total Graphic Area: 41.75"w x 87.75"
Finished Size: 37.75"w x 83.75"h

Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted
(3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted
(3/4"w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging= 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS
OR-G-TH1

BS
OR-G-TH2

BS
OR-G-TH3

BS
OR-G-TH4

BS
OR-G-TH5

BS
OR-G-TH6

BS
OR-G-TH7



BS OR-G-TH8

gray area will
be obstructed
once finished
and mounted