Eros 10' x 10' Truss System **UV** Printed

Panels ER1 and ER5: Total Graphic Area: 26.75"w x 84.75"h Finished Size: 25.75"w x 83.75"h Visual Size: 23.75"w x 81.75"h

Panels ER2 and ER4:

Total Graphic Area: 26.75"w x 84.75"h Finished Size: 25.75"w x 83.75"h Visual Size: 25.75"w x 83.75"h

Panel ER3:

Total Graphic Area: 50.75"w x 84.75"h Finished Size: 49.75"w x 83.75"h Visual Size: 47.75" w x 81.75" h

Panel ER6: Total Graphic Area: 49"w x 7"h Finished Size: 48"w x 6"h Visual Size: 48"w x 6"h

Template requires 1/2" bleed around

the perimeter

FS = Graphic is front side mounted (3/4" w magnet is applied to the back of the panel) BS = Graphic is back side mounted (3/4" w velcro is applied to the front of the panel) Notching = 7/8" square that is cut into the appropriate location. Hinging= 3/4" strip of material that is cropped from the panel and reapplied with hinge tape. Allows two graphics to share the same

General Art Guidelines:

– CMYK Color Mode


extrusion corner.

- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

OR-G-ER1

panel is notched on top and bottom right corners

-bleed area -trim line



FS OR-G-ER2

panel is notched on top and bottom right corners

BS OR-G-ER3

FS OR-G-ER4

panel is notched on top and bottom left corners

BS OR-G-ER5

panel is notched on top and bottom left corners

gray area will be obstructed once finished and mounted

FS OR-G-ER6