## **SEGO CONFIGURATION D - 10X10**

SEGO MODULAR LIGHTBOX DISPLAY PRODUCT CODE: SEGO-D-10x10G









**SEG**O

## **PRODUCT DESCRIPTION**


The advanced technology of the new SEGO modular lightbox system combines innovation with intuition. Toolless down to its feet, SEGO is designed to help heighten your display experience. Magnetic electrical connectors light up the UL certified LED lights that come pre-installed in the profiles. Electrical wires stay hidden from view. Edge-to-edge customizable SEG backlit fabric graphics cover the front and back of the aluminum frame. Portable, configurable, desirable, SEGO is a lightbox unlike the others. SEGO is so well thought out, even its durable foam cut carry bag is made distinctly to keep all parts and pieces protected and organized.

and organized.						
DISPLAY DIMENSIONS		118'	118"W x 88.25"H x 16.5"D			
	01750	78.125"W x 88.625"H (tall frame)				
GRAPHIC	SIZES	39.7	39.75"W x 88.625"H (short frame)			
GRAPHIC MATERIAL						
Dye Sub Backlit Fabric						
GRAPHIC FINISHING						
Silicone beading sewn onto edge of graphic						
DISPLAY CONSTRUCTION						
Aluminum extrusion frame with plastic components						
SHIPPING WEIGHTS & DIMENSIONS						
Shipping Weight			30 lbs (frame only) (large frame) 32 lbs (frame & graphic) (large frame)			
		30 lbs (frame only) (small frame) 32 lbs (frame & graphic) (small frame)				
Shipping Dimensions		54.5"W x 15.5"H x 6.75"D (each - 3 boxes total)				
GRAPHIC TURN AROUND TIME						
2 business days after proof approval (up to 2 cofigurations)						
AVAILABILIT			СА			
LED LIGHT SPECIFICATION			LUMENS (EACH FRAME)			
BRAND	Osram		VOLTAGE (V)	24		
POWER	3W		POWER (W)	270		
CCT (COLOR TEMP)	6800k		LM/W	130		
AVERAGE BEAM ANGEL	20 °		TOTAL LM	35100		
LM/W	130		AVG LM	5850		
AVG LM/M <sup>2</sup>	4800-5800		CU	.8		
VOLTAGE INPUT	24V		EAV	4680		
TRANSFORMER SPECIFICATION						


TRANSFORMER SPECIFICATION		LUMENS (RETURNS)	
POWER RATE 2	95W, 252W	VOLTAGE (V)	24
TRANSFORMERS		POWER (W)	45
CERTIFICATES	UL, CE, GEM	LM/W	130
VOLTAGE INPUT	100-240V	TOTAL LM	5850
VOLTAGE OUTPUT	24V	AVG LM	5850
		CU	.8


EAV 4680


PARTS LIST




## SET UP INSTRUCTIONS























SEGO 100X100 FRAME ASSEMBLY







FRAME CONNECTION

