









RED WHISK & Making dinner has never been this easy Here at Red Whisk we tale the guesswork out of decoding what you want to cook for dinner. Gooding for yourself or the error house? Not to wornly the hose at fleelable plan to markly are lifely easy of the roundry you need to keet fleelable plan to markly are lifely easy of the roundry you need to keet fleelable plan to markly are lifely easy of the roundry you need to keet fleelah week you will be given freely egredients and only no cook neepes to help you create declocus dinners like a fine star cheel HOW IT WORKS 3. Create! PLANS START FROM \$7.50 / serving





Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 5FT	60.75"W x 89.5"H
GRAPHIC SIZE 10FT	121"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	53 lbs (frames and graphics - case 1) 49 lbs (frames and graphics - case 2)
Shipping Dimensions	22"W x 39"H x 17"D (each case)

ADGE OF INNITITY EDEIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	408 lhs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)






Connecting Clip







Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D



EZ Tube® CONNECT 20FT KIT B (8'X4'X8')















Single foot connection

Foot Dims

Double foot connection

3 1'/8" x 18 3/4"

Modular has officially met tube frames! EZ Tube®®®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®®®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®®®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

•		*
	DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
	GRAPHIC SIZE 4FT	49"W x 89.5"H
	GRAPHIC SIZE 8FT	96.5"W x 89.5"H
	GRAPHIC SIZE MHC	62.375"W x 32.25"H

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	57 lbs (frames and graphics - case 1) 48 lbs (frames and graphics - case s)
Shipping Dimensions	22"W x 39"H x 17"D (each case)

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	420 lbs (frames & graphics - 4 sets)

2 business days after proof approval (up to 2 kits)




Connecting Clip







Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D





Connecting Clip (qty 4)

EZ Tube® CONNECT 20FT KIT C (5'X5'X5'X5')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS
PRODUCT CODE: EZCNCT-20KIT-C-5X5X5X5















Foot Dims

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube®®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

240"W x 90"H x 18.75"D
60.75"W x 88.5"H
60.75"W x 89.5"H
62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

	53 lbs (frames & graphics - each case) 2 cases total
Shipping Dimensions	22"W x 39"H x 17"D (each case)

LARGE QUANTITY FREIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	424 lbs (frames & graphics - 4 sets)

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)




Connecting Clip








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D








(qty 2)







(qty 3)





Bottom Cross Bar L shape

connector

(qty 8)





Connecting Clip (qty 6)

EZ Tube® CONNECT 20FT KIT D (5'X5'X5'X5')

RODUCT CATEGORY: EZ FABRIC DISPLAYS RODUCT CODE: FZCNCT-20KIT-D-5X5X5X5













PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube®® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube®® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube®® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single- or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

(,
DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 5FT	60.75"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	53 lbs (frames & graphics - each case) 2 cases total
Shipping Dimensions	22"W x 39"H x 17"D (each case)

LARGE QUANTITY FREIGHT

(O/AIVIII I REIOIII		
Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid	
Freight Weight	424 lbs (frames & graphics - 4 sets)	

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)

AVAILABILITY | Pacific Fulfillment Center





Connecting Clip



Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"









Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D





Bottom cross bar-5ft (qty 4)



3 section 64" pole (qty 4)



Bottom Cross Bar L shape connector (qty 8)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 4)



MHC (qty 2)



Soft Bag 5ft (qty 4)



Connecting Clip (qty 6)

EZ Tube® CONNECT 20FT KIT E (8'X4'8')

PRODUCT CODE: EZCNCT-20KIT-E-8X4X8

















Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPI	AY DIMENSIONS	240"W x 90"H x 18.75"D
G	RAPHIC SIZE 4FT	49"W x 89.5"H
G	RAPHIC SIZE 8FT	96.5"W x 89.5"H
GR	APHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

34mm Aluminum Tubing

Shipping Weight	57 lbs (frames and graphics - case 1) 48 lbs (frames and graphics - case 2)	

Shipping Dimensions 22"W x 39"H x 17"D (each case)

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	420 lbs (frames & graphics)

2 business days after proof approval (up to 2 kits)




Connecting Clip








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D




Top cross bar-8ft straight (qty 2)



Bottom cross bar-8ft (qty 2)



Top cross bar-4ft slope (qty 1)



Bottom cross bar-4ft (qty 1)



3 section 64" pole (qty 6)



Bottom Cross Bar L shape connector (qty 6)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 2)



Center Vertical pole-90" (qty 1)



MHC (qty 2)



Soft Bag 8ft (qty 2)



Soft Bag 4ft (qty 1)



Connecting Clip (qty 4)

EZ Tube® CONNECT 20FT KIT F (8'X4'8')

PRODUCT CATEGORY: EZ FABRIC DISPLAYS
PRODUCT CODE: EZCNCT-20KIT-E-8X4X8




















Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 4FT	49"W x 89.5"H
GRAPHIC SIZE 8FT	96.5"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	57 lbs (frames and graphics - case 1)
	48 lbs (frames and graphics - case 2)

Shipping Dimensions 22"W x 39"H x 17"D (each case)

LARGE QUANTITY FREIGHT

Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid
Freight Weight	420 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)




Connecting Clip








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D




Top cross bar-8ft straight (qty 2)




Bottom cross bar-8ft (qty 2)



Top cross bar-4ft straight (qty 1)



Bottom cross bar-4ft (qty 1)



3 section 64" pole (qty 6)



Bottom Cross Bar L shape connector (qty 6)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 2)



Center Vertical pole-90" (qty 1)



(qty 2)



Soft Bag 8ft (qty 2)



Soft Bag 4ft (qty 1)



Connecting Clip (qty 4)

EZ Tube® CONNECT 20FT KIT G (5'X5'X5'X5')




















Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE	60.75"W x 88.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

Shipping Weight	53 lbs (frames & graphics - each case) 2 cases total
Shipping Dimensions	22"W x 39"H x 17"D (each case)

LARGE GOALTH I I KEIGHT		
Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid	
Freight Weight	424 lbs (frames & graphics - 4 sets)	

2 business days after proof approval (up to 2 kits)



Connecting Clip








Includes gty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D



Top cross bar-5ft straight (qty 4)



Bottom cross bar-5ft (qty 4)



3 section 64" pole (qty 4)



Bottom Cross Bar L shape connector (qty 8)



Connecting Clip (qty 6)



Single Foot (34mm) (qty 2)



Double Foot (34mm) (qty 3)



MHC (qty 2)



Soft Bag 5ft (qty 4)

EZ Tube® CONNECT 20FT KIT H (5'X5'X5'X5')















Double foot connection

Single foot connection

Foot Dims

3 1'/8" x 18 3/4"

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

1 /	
DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 5FT	60.75"W x 89.5"H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPIN		LOLITO		ICIONIC.
SHIPPIN	J(¬ \/ \/ -	$I(\neg H \mid \neg \neg)$	<i>x,</i>) \/ ⊢	

	53 lbs (frames & graphics - each case) 2 cases total
Shipping Dimensions	22"W x 39"H x 17"D (each case)

GE QUANTITY FREIGHT		
Freight Shipping	8 boxes per 48"L x 40"W x 43"H skid	
Freight Weight	424 lbs (frames & graphics - 4 sets)	

2 business days after proof approval (up to 2 kits)



Connecting Clip








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D

Connecting Clip

(qty 6)

PARTS LIST



Soft Bag 5ft

(qty 4)

EZ Tube® CONNECT 20FT KIT I (8'X7'X8')













Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

DISPLAY DIMENSIONS	240"W x 90"H x 18.75"D
GRAPHIC SIZE 8FT	96.5"W x 89.5"H
GRAPHIC SIZE CIRCLE	61" W x 61" H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

34mm Aluminum Tubing

Shipping Weight	52 lbs (frames, graphics, MHC) Case 1
	52 lbs (frames, graphics, MHC) Case 2
	40 lbs (frames, graphics, MHC) Case 3

Shipping Dimensions 22"W x 39"H x 17"D Each Case

Freight Shipping	6 boxes per 48"L x 40"W x 43"H skid
Freight Weight	288 lbs (2 sets)

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)

AVAILABILITY | Pacific Fulfillment Center



Single foot connection

Double foot connection

Foot Dims 3 1'/8" x 18 3/4"








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D













3 section 64" pole (qty 4

Center Vertical pole-90" (qty 2)









Bottom Cross Bar L shape connector (qty 4)

Male - Male Curved Tube (qty 2)

Male - Female Curved Tube (qty 5)

Bottom Tubes for Legs (qty 2)









Single Foot (34mm) (qty 2)

Double Foot (34mm) (qty 2)

Soft Bag 8ft (qty 2)

Soft Bag 7ft (qty 1)



MHC (qty 3)

EZ Tube® CONNECT 20FT KIT J (4'X7'X4X7'X4')

RODUCT CATEGORY: EZ FABRIC DISPLAYS RODUCT CODE: FZCNCT-20KIT- I-4X7X4X7X4
















PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect lets you choose from straight, round or slant top shapes, 90" or 96" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pulls over frames and zips closed underneath. Medium Hard Case included. (Medium Hardcase Graphic optional)

1 1 7	
DISPLAY DIMENSIONS	120"W x 90"H x 18.75"D
GRAPHIC SIZE 4FT	49"W x 89.5"H
GRAPHIC SIZE CIRCLE	84.75" W x 84.75" H
GRAPHIC SIZE MHC	62.375"W x 32.25"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Dimensions 22"W x 39"H x 17"D (each case)

GRAPHIC TURN AROUND TIME

2 business days after proof approval (up to 2 kits)

AVAILABILITY | Pacific Fulfillment Center



Single foot connection

Double foot connection


Foot Dims 3 1'/8" x 18 3/4"








Includes qty 1 Medium Hard Case Case Inside Dimensions: 20.5"W x 32.5"H x 12"D







SETUP INSTRUCTIONS



SETUP INSTRUCTIONS



INSTRUCTIONS



INSTRUCTIONS

