Linear Kiosk 03

LN-K-03

Dress up and add wow to your space with state-of-the-art multimedia kiosks.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- Custom appearance
- Easy to assemble

dimensions:

- Top available in four finishes
 Aluminum construction: vertical
- extrusions 10 mm x 10mm
- Lockable counter with internal shelf
- Installation tool included
- Kit includes one OCH2 case, custom printed canopy with pillowcase graphic, rigid custom printed graphics, and custom printed counter infills
- Easy step-by-step instructions
- Lifetime hardware warranty against manufacturer defects

| Hardware | Graphic Center graphic: Total visible area: 41.34" w x 21.65" h 1200mm(w) x 600.1mm(h) Pillowcase canopy graphic: Total visible area: 47.25" w x 23.25" d 1200mm(w) x 590.55mm(d) | |
|--|---|--|
| Assembled unit: 47.33"w x 96.85"h x 23.25"d approx. 1202.2mm(w) x 2460mm(h) x 610mm(d) | | |
| Locking counter: 23.1"w x 39.4"h x 12.8"d approx. 586mm(w) x 1000.8mm(h) x 325.12mm(d) | | |
| Internal shelf: 21.7"w x 18.1"d approx. 550.6mm(w) x 458.6mm(d) | Cabinet graphic, backside: Total visible area: 21.31"w x 35.8"h 541.3mm(w) x 909.3mm(h) | |
| Shipping | Cabinet graphic, left & right sides: Total visible area: 7.84"w x 35.8"h | |
| Shipping dimensions - ships in one case | 199.136mm(w) x 909.3mm(h) | |
| OCH2 case: 52"l x 30"w x 15"h 1320.8mm(l) x 762mm(w) x 381mm(h) | Cabinet graphic, front door: Total visible area: 17.53" w x 32.18" h 444.5mm(w) x 817.372mm(h) | |
| Approximate shipping weight (entire kit): 115lbs/52.2kg | Refer to related graphic template for more information | |


additional information:

| Graphic materials: Dye-sublimated fabric & UV prints on 6mm sintra | Counter holds max weight 100lbs/45.4kg |
|--|--|
| Tabletop color options: | |




8/1/11

| Parts Included | | | | |
|-----------------------|-----|----------------|--|--|
| Part label | Qty | Part code | | |
| VC-02 (back graphic) | x1 | V-CAB-01-FR-01 | | |
| VC-03 (front graphic) | x1 | V-CAB-01-DR | | |
| VE-32 | x8 | PH-200-S-S | | |
| VE-33 | x1 | PS2-521-L-L | | |
| VE-36 | x4 | PM2R8-1200-A-A | | |
| VE-45 | x2 | PH4-300 | | |
| VE-46 | x2 | PH4-75-L | | |
| Graphic A (canopy) | x1 | - | | |
| Graphic B | x1 | - | | |
| Graphic C | x1 | - | | |
| Graphic D (side) | x1 | - | | |
| Graphic E (side) | x1 | - | | |
| Graphic F (side) | x1 | - | | |
| Graphic G (side) | x1 | - | | |
| V-K-CT-01 | x1 | V-K-CT-01 | | |
| Standoff | x8 | СКЅО | | |
| Canopy | x1 | V-K-CAN-03 | | |
| Joining bars | x4 | LN100 | | |
| Internal Shelf | x1 | V-CU-CAB-02-S | | |
| Shelf Support | x4 | SS1-S | | |
| T-Handle | x1 | T-HANDLE | | |




Step 1. Lock VE-32's to door and back panel using detail below.




Step 2.

Lock left and right VE-36 posts to bottom VE-32s using detail below. Slide VE-45s into VE-36s. **VE-45**




Step 3.

Slide side graphics into channels of bottom VE-32s. Lock top VE-32s into place to capture graphics using detail below. Note that upper VE-32s should be flush at top with door and back panel.




Step 4.

Add shelf supports at desired height using detail below. Gently place internal shelf on supports. Slide countertop over VE-36 lower verticals. Slide the upper VE-36s over the VE-45 internal supports and attach the joining bars as detailed below.




Step 5.

Lock VE-33 into VE-36s at designated height using attachment detailed below.




Step 6.


Attach standoffs to VE-36s using attachment detailed below. Attach front and back center graphics to standoffs.



Step 7.

Assemble the canopy by connecting the pieces following the numbered labels. Clean the frame and place it on a clean surface. Carefully remove the graphic and place it around the bottom of the frame, slits on the underside of the graphic. Pull the cover carefully over the frame and close all zippers. When breaking system down, be sure to fold or roll the graphic neatly and place in bag.






Step 8.

Lock VE-46s to canopy through slits in graphic. Attach completed canopy by sliding the VE-46s into the vertical posts.

GRAPHIC A



Check out these related products:



Linear Kiosk 01

Linear Kiosk 02



Linear Kiosk 03



Linear Kiosk 04