Linear Kiosk 04

LN-K-04

Dress up and add wow to your space with state-of-the-art multimedia kiosks.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- Custom appearance
- Easy to assemble
- Bases available in four finishes
- Aluminum construction: vertical extrusions 50 mm x 50 mm
- 50 watt low voltage lighting
- Wings are double sided

- Installation tool included
- Kit includes one OCH2 case, rigid custom printed wing and center graphic panels and one 50 watt spotlight
- Easy step-by-step instructions
- Lifetime hardware warranty against manufacturer defects

dimensions:

	Graphic Top wings: Total visible area: 17.17"w x 46.06"h 436.118mm(w) x 1169.924mm(h) Bottom wings: Total visible area: 13"w x 46.06"h 330.2mm(w) x 1169.924mm(h)	
Assembled unit: 53"w x 96.85"h x 30"d approx. 600mm(w) x 2460mm(h) x 762mm(d)		
Shipping		
Shipping dimensions - ships in one case DCH2 case: 52" x 30" w x 15"h 320.8mm(l) x 762mm(w) x 381mm(h)	Center graphic: Total visible area: 43.30"w x 23.62"h 1099.82mm(w) x 599.948mm(h)	
Approximate shipping weight (entire kit): 90lbs/40.8kg	Refer to related graphic template for more information	

additional information:

Graphic materials:

UV prints on 6mm sintra

Base and angled support feet color options:



silver





mahogany






natural

Wing and center panel graphics can be upgraded to frosted plex


Light included: LV1 50 watt, low voltage spotlight, curved arm, silver finish, 19.5" from end to end

Parts Included		
Part label	Qty	Part code
VE-16	x4	PH-600-S-S
VE-36	x4	PM2R8-1200-A-A
VE-45	x2	PH4-300
V-K-B-01	x1	V-K-B-01
V-K-B-02	x1	V-K-B-02
V-K-L-02	x2	V-K-L-02
V-K-L-01	x2	V-K-L-01
Graphic A	x2	-
Graphic B (t. wing)	x1	-
Graphic C (b. wing)	x1	-
Graphic D (t. wing)	x1	-
Graphic E (b. wing)	x1	-
Standoff (wings)	x8	CKAPS
Standoff (center)	x4	CKSO
Light	x1	LV1-CLP-LIGHT
VE-35	x1	WME-600
VE-64	x1	WME-450
VE-65	x1	WME-1200
Joining bar	x4	LN100
T-Handle	x1	T-HANDLE




Step 1.


Attach VE-36 verticals to kiosk feet using detail below.



Step 2. Connect V-K-L-01s to the VE-36 uprights using detail below. Lock holes should face inside.




Step 3. Insert VE-45 internal connectors into lower VE-36s. Attach joining bars to lower VE-36s. Slide upper VE-36s onto the joining bars and VE-45 internal connectors. Lock joining bars.




Step 4.


Attach VE-16s between uprights at specified heights using detail shown below. Assure that the top VE-16 lines up at the top of the uprights, and the bottom VE-16 lines up at the bottom of the uprights.




Step 5.
Attach standoffs to VE-36s in designated positions. Attach wings to standoffs.




Step 6.
Attach standoffs to front of VE-36s. Attach front center graphic to standoffs.






4.

Step 7.
Slide light onto clip and place clip in channel on VE-16 as shown in detail below.
Run light cord through VE-35, VE-64, VE-65 with light switch between
VE-35 and VE-64. Snap into channel leaving the space behind the graphic.



Step 8.

Attach standoffs to back of verticals. Attach back graphic to standoffs.



Check out these related products:







Linear Kiosk 02



Linear Kiosk 03



Linear Kiosk 04