

PERSPECTIVE VIEW-1




EXHIBIT & DISPLAY GROUP

PROJECT NUMBER

120158-V1

DATE

8/23/2019

DESIGNER

BRENNAN HUNT

THIS IS AN ARTISTIC REPRESENTATION ONLY. ARTISTIC DRAWINGS ARE NOT TO BE REPRODUCED OR THE CONTENTS DISCLOSED TO OTHERS WITHOUT THE CONSENT OF ORBUS. ARTISTIC RENDERINGS ARE THE PROPERTY OF ORBUS AND MAY BE USED FOR MARKETING PURPOSES, UNLESS REQUESTED OTHERWISE IN WRITING. WARNING: REDESIGN OF THIS EXHIBIT WITHOUT APPROVAL BY ORBUS MAY RESULT IN DANGEROUS AND UNSAFE STRUCTURES. ORBUS DISCLAIMS ANY RESPONSIBILITY FOR REDESIGNED EXHIBITS IT DOES NOT APPROVE IN WRITING.

ARTWORK CREATED FOR RENDERINGS IS NOT PRODUCTION READY IN SCALE AND RESOLUTION. PLEASE CONSULT WITH YOUR SALESPERSON IF PRODUCTION ARTWORK IS NEEDED.

VIEW-1



G7 Print Certified



ORBUS, LLC
ISO 9001: 2015
ISO 14001: 2015
10009274 & 10011571

ISOMETRIC VIEW




EXHIBIT & DISPLAY GROUP

PROJECT NUMBER

120158-V1

DATE

8/23/2019

DESIGNER

BRENNAN HUNT

THIS IS AN ARTISTIC REPRESENTATION ONLY. ARTISTIC DRAWINGS ARE NOT TO BE REPRODUCED OR THE CONTENTS DISCLOSED TO OTHERS WITHOUT THE CONSENT OF ORBUS. ARTISTIC RENDERINGS ARE THE PROPERTY OF ORBUS AND MAY BE USED FOR MARKETING PURPOSES, UNLESS REQUESTED OTHERWISE IN WRITING. WARNING: REDESIGN OF THIS EXHIBIT WITHOUT APPROVAL BY ORBUS MAY RESULT IN DANGEROUS AND UNSAFE STRUCTURES. ORBUS DISCLAIMS ANY RESPONSIBILITY FOR REDESIGNED EXHIBITS IT DOES NOT APPROVE IN WRITING.

ARTWORK CREATED FOR RENDERINGS IS NOT PRODUCTION READY IN SCALE AND RESOLUTION. PLEASE CONSULT WITH YOUR SALESPERSON IF PRODUCTION ARTWORK IS NEEDED.

VIEW-4



**G7 Print
Certified**



ORBUS, LLC
ISO 9001: 2015
ISO 14001: 2015
10009274 & 10011571

PLAN VIEW




EXHIBIT & DISPLAY GROUP

PROJECT NUMBER

120158-V1

DATE

8/23/2019

DESIGNER

BRENNAN HUNT

THIS IS AN ARTISTIC REPRESENTATION ONLY. ARTISTIC DRAWINGS ARE NOT TO BE REPRODUCED OR THE CONTENTS DISCLOSED TO OTHERS WITHOUT THE CONSENT OF ORBUS. ARTISTIC RENDERINGS ARE THE PROPERTY OF ORBUS AND MAY BE USED FOR MARKETING PURPOSES, UNLESS REQUESTED OTHERWISE IN WRITING. WARNING: REDESIGN OF THIS EXHIBIT WITHOUT APPROVAL BY ORBUS MAY RESULT IN DANGEROUS AND UNSAFE STRUCTURES. ORBUS DISCLAIMS ANY RESPONSIBILITY FOR REDESIGNED EXHIBITS IT DOES NOT APPROVE IN WRITING.

ARTWORK CREATED FOR RENDERINGS IS NOT PRODUCTION READY IN SCALE AND RESOLUTION. PLEASE CONSULT WITH YOUR SALESPERSON IF PRODUCTION ARTWORK IS NEEDED.

VIEW-5



G7 Print
Certified



ORBUS, LLC
ISO 9001: 2015
ISO 14001: 2015
10009274 & 10011571

ELEVATION VIEW



EXHIBIT & DISPLAY GROUP

PROJECT NUMBER

120158-V1

DATE

8/23/2019




DESIGNER

BRENNAN HUNT

THIS IS AN ARTISTIC REPRESENTATION ONLY. ARTISTIC DRAWINGS ARE NOT TO BE REPRODUCED OR THE CONTENTS DISCLOSED TO OTHERS WITHOUT THE CONSENT OF ORBUS. ARTISTIC RENDERINGS ARE THE PROPERTY OF ORBUS AND MAY BE USED FOR MARKETING PURPOSES, UNLESS REQUESTED OTHERWISE IN WRITING. WARNING: REDESIGN OF THIS EXHIBIT WITHOUT APPROVAL BY ORBUS MAY RESULT IN DANGEROUS AND UNSAFE STRUCTURES. ORBUS DISCLAIMS ANY RESPONSIBILITY FOR REDESIGNED EXHIBITS IT DOES NOT APPROVE IN WRITING.

ARTWORK CREATED FOR RENDERINGS IS NOT PRODUCTION READY IN SCALE AND RESOLUTION. PLEASE CONSULT WITH YOUR SALESPERSON IF PRODUCTION ARTWORK IS NEEDED.

VIEW-6



G7 Print Certified



ORBUS, LLC
ISO 9001: 2015
ISO 14001: 2015
10009274 & 10011571

Label	Description
A1	Graphic(A1), Pillowcase with Top Panel Mesh Textile, with Opaque Liner on All Side Panels, Backlit Front / Back Panel Only., 180 Sqft of Custom Backlit Graphic




EXHIBIT & DISPLAY GROUP

PROJECT NUMBER

120158-V1

DATE

8/23/2019

DESIGNER

BRENNAN HUNT

THIS IS AN ARTISTIC REPRESENTATION ONLY. ARTISTIC DRAWINGS ARE NOT TO BE REPRODUCED OR THE CONTENTS DISCLOSED TO OTHERS WITHOUT THE CONSENT OF ORBUS. ARTISTIC RENDERINGS ARE THE PROPERTY OF ORBUS AND MAY BE USED FOR MARKETING PURPOSES, UNLESS REQUESTED OTHERWISE IN WRITING. WARNING: REDESIGN OF THIS EXHIBIT WITHOUT APPROVAL BY ORBUS MAY RESULT IN DANGEROUS AND UNSAFE STRUCTURES. ORBUS DISCLAIMS ANY RESPONSIBILITY FOR REDESIGNED EXHIBITS IT DOES NOT APPROVE IN WRITING.

ARTWORK CREATED FOR RENDERINGS IS NOT PRODUCTION READY IN SCALE AND RESOLUTION. PLEASE CONSULT WITH YOUR SALESPERSON IF PRODUCTION ARTWORK IS NEEDED.

GRAPHICS

GRAPHICS CALL-OUTS



G7 Print Certified



ORBUS, LLC
ISO 9001: 2015
ISO 14001: 2015
10009274 & 10011571



EXHIBIT & DISPLAY GROUP

PROJECT NUMBER

120158-V1

DATE

8/23/2019

DESIGNER


BRENNAN HUNT

THIS IS AN ARTISTIC REPRESENTATION ONLY. ARTISTIC DRAWINGS ARE NOT TO BE REPRODUCED OR THE CONTENTS DISCLOSED TO OTHERS WITHOUT THE CONSENT OF ORBUS. ARTISTIC RENDERINGS ARE THE PROPERTY OF ORBUS AND MAY BE USED FOR MARKETING PURPOSES, UNLESS REQUESTED OTHERWISE IN WRITING. WARNING: REDESIGN OF THIS EXHIBIT WITHOUT APPROVAL BY ORBUS MAY RESULT IN DANGEROUS AND UNSAFE STRUCTURES. ORBUS DISCLAIMS ANY RESPONSIBILITY FOR REDESIGNED EXHIBITS IT DOES NOT APPROVE IN WRITING.


ARTWORK CREATED FOR RENDERINGS IS NOT PRODUCTION READY IN SCALE AND RESOLUTION. PLEASE CONSULT WITH YOUR SALESPERSON IF PRODUCTION ARTWORK IS NEEDED.

TEMPLATE


UPPER LEFT PANEL
FLATTENED VIEW
SCALE
QTY: 1
BACKLIT TEXTILE
WITH LINER




UPPER RIGHT PANEL
FLATTENED VIEW
SCALE
QTY: 1
BACKLIT TEXTILE
WITH LINER




LOWER LEFT PANEL
FLATTENED VIEW
SCALE
QTY: 1
BACKLIT TEXTILE
WITH LINER




LOWER RIGHT PANEL
FLATTENED VIEW
SCALE
QTY: 1
BACKLIT TEXTILE
WITH LINER




FRONT/BACK PANEL
FLATTENED VIEW
SCALE
QTY: 1
BACKLIT TEXTILE
WITH LINER



FRONT PANEL
FLATTENED VIEW
SCALE
QTY: 1
BACKLIT TEXTILE



FRONT PANEL
FLATTENED VIEW
SCALE
QTY: 1
BACKLIT TEXTILE



DIMENSION NOTES

GRAPHIC FINISHED SIZE
GRAPHIC VISUAL SIZE



G7 Print
Certified



ORBUS, LLC
ISO 9001: 2015
ISO 14001: 2015
10009274 & 10011571



EXHIBIT & DISPLAY GROUP

PROJECT NUMBER

120158-V1

DATE

8/23/2019

DESIGNER

BRENNAN HUNT

THIS IS AN ARTISTIC REPRESENTATION ONLY. ARTISTIC DRAWINGS ARE NOT TO BE REPRODUCED OR THE CONTENTS DISCLOSED TO OTHERS WITHOUT THE CONSENT OF ORBUS. ARTISTIC RENDERINGS ARE THE PROPERTY OF ORBUS AND MAY BE USED FOR MARKETING PURPOSES, UNLESS REQUESTED OTHERWISE IN WRITING. WARNING: REDESIGN OF THIS EXHIBIT WITHOUT APPROVAL BY ORBUS MAY RESULT IN DANGEROUS AND UNSAFE STRUCTURES. ORBUS DISCLAIMS ANY RESPONSIBILITY FOR REDESIGNED EXHIBITS IT DOES NOT APPROVE IN WRITING.

ARTWORK CREATED FOR RENDERINGS IS NOT PRODUCTION READY IN SCALE AND RESOLUTION. PLEASE CONSULT WITH YOUR SALESPERSON IF PRODUCTION ARTWORK IS NEEDED.

GUIDELINES

ACCEPTABLE FILE FORMATS

Illustrator CC or below
Photoshop CC or below or InDesign CC or below
(not preferred)

High quality, editable PDFs, Photoshop and Illustrator files are preferred, as they are more suitable applications for large format printing. Art time will be charged if files need to be fixed or altered to meet guidelines. When sending files, please be sure to include all support art (fonts, linked images, etc).

Please note that Illustrator special effects such as glows, transparencies, or drop shadows are not recommended. These effects sometimes have unpredictable results when printing. Photoshop is preferred when using these special effects.

FONT SPECIFICATIONS

Fonts must be converted to outlines. If fonts are not created to outlines, please provide Macintosh or TrueType fonts. If changes need to be made in the file, please provide the fonts and a version of the file with editable type.

COLOR SPECIFICATIONS

Please provide all vector files (Illustrator and InDesign) in CMYK format. Please supply all raster artwork (Photoshop files, jpgs, tiffs) in RGB format for the most accurate color output. Please provide a hard copy proof of the files being printed for color accuracy and a PDF layout for file layout accuracy.

If Pantone colors need to be matched please specify on purchase order or hard copy reference. All critical Pantone colors need to be called out in the file as solid coated swatches. If multiple Pantone swatches are used in the file, all will be matched to solid coated unless otherwise specified.

DESCRIPTION SIZES:

TOTAL SIZE = Finished size plus required bleed.

FINISH SIZE = Finished graphic size.

VISUAL SIZE = Viewable area of finished size when graphic is an infill.

Please feel free to submit catalogs, brochures, printed proofs, etc. to use for a color reference. If color matching is required for Photoshop files please provide a layered file. Art time may be charged to correct flattened Photoshop files.

If color matching to existing graphics, we will need those back to review. Please contact your sales representative for a case number.

We guarantee color matching on all hard copy proofs, specified Pantone colors and client-supplied hard copy proofs. Orders without indication of Pantone colors, supplied hard copy proofs or requested hard copy proofs are not guaranteed for color.

RESOLUTION

All raster files (either print files or linked files) must be at 100-120 pixels per inch at 100%.

VINYL CUT GRAPHICS

Artwork must be set-up as vector files with fonts created to outlines for all cut vinyl. Please specify Avery color number for solid color vinyl or PMS color for dsg printed and cut vinyl.

SUBMITTING ARTWORK FILES

Files are accepted via Email (up to 5MB), FTP site, DVD, CD or File transfer site such as WeTransfer or Hightail.

Files can be uploaded to:
www.handbookart.com

Please reference the FTPsite guidelines for more information.

MURALS | POPUP GRAPHICS

Coyote™ mural files must be built as one file. Please note where panel breaks are located and try to minimize the amount of type that crosses over the panel breaks.

BLEED SPECIFICATIONS

All graphics produced require specific bleeds.

Below is a general outline for the required bleeds. Mural Popup Files - 1/2" bleed around the perimeter.

Hopups™, Formulates™, Vector Frame™ - 2" bleed around the perimeter. Please keep all logos, type, and critical information at least 2" in from the visual edge of the graphic.

Fabric Structures - 5" bleed around the perimeter.

Banner Stand Graphics - each product has specific bleed requirements. Please refer to graphic template for specific information. Different printing processes may require different bleeds. All banner stand graphics printed on 8oz. Oxford will require an extra 1" bleed around the perimeter.

Custom Dye-Sub Flag Graphics - 2" bleed left & right sides, 4" bleed top & bottom.

Orbital Express™ Truss Graphics, UV- 1/2" bleed around the perimeter.

Orbital Express™ Truss Graphics, 8oz. Oxford - 2" bleed around the perimeter.

Custom Contour Cut UV Graphics - 1/2" bleed around the perimeter.

Custom Dye-Sub Graphics - 2" bleed around the perimeter

Custom Dye-Sub Graphics exceeding 160" - 5" bleed around the perimeter.

Templates for products are available online at www.exhibitorshandbook.com



G7 Print Certified



ORBUS, LLC
ISO 9001: 2015
ISO 14001: 2015
10009274 & 10011571