

Dorado
20' x 20' Truss System
Dye Sub Printed



TEMPLATE IS @ 1/4 SCALE

Panels DO1-A, DO4-A, DO1-B, DO4-B, DO1-C, DO4-C, DO1-D, DO4-D:
Total Graphic Area: 83.375" w x 41.75" h
Finished Size: 79.375" w x 37.75" h

Panels DO2-A, DO2-B, DO2-C, DO2-D:
Total Graphic Area: 53" w x 41.75" h
Finished Size: 49" w x 37.75" h

Panels DO3-A, DO3-B, DO3-C, DO3-D:
Total Graphic Area: 53" w x 87.75" h
Finished Size: 49" w x 83.75" h

Panels DO5-A, DO8-A, DO5-B, DO8-B, DO5-C, DO8-C, DO5-D, DO8-D:
Total Graphic Area: 83.375" w x 41.75" h
Finished Size: 79.375" w x 37.75" h

Panels DO6-A, DO6-B, DO6-C, DO6-D:
Total Graphic Area: 43.5" w x 41.75" h
Finished Size: 39.5" w x 37.75" h

Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted (3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted (3/4" w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging= 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 400-480 ppi @ 1/4 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

FS
OR-G-DO1-A

FS
OR-G-DO2-A

FS
OR-G-DO3-A

— bleed area
— trim line

FS
OR-G-DO4-A

FS
OR-G-DO1-B

FS
OR-G-DO2-B

FS
OR-G-DO3-B

FS
OR-G-DO4-B

FS
OR-G-DO1-C

FS
OR-G-DO2-C

FS
OR-G-DO3-C

FS
OR-G-DO4-C

FS
OR-G-DO1-D

FS
OR-G-DO2-D

FS
OR-G-DO3-D

FS
OR-G-DO4-D

FS

OR-G-D05-A

panel is notched
on top and bottom
right corner

BS
OR-G-DO6-A

panel is notched
in all 4 corners

BS

OR-G-DO7-A

panel is notched
in all 4 corners

FS

OR-G-DO8-A

panel is notched
on top and bottom
left corner

FS

OR-G-DO5-B

panel is notched
on top and bottom
right corner

BS
OR-G-DO6-B

panel is notched
in all 4 corners

BS

OR-G-DO7-B

panel is notched
in all 4 corners

FS

OR-G-DO8-B

panel is notched
on top and bottom
left corner

FS
OR-G-D05-C

panel is notched
on top and bottom
right corner

BS
OR-G-DO6-C

panel is notched
in all 4 corners

BS

OR-G-D07-C

panel is notched
in all 4 corners

FS
OR-G-D08-C

panel is notched
on top and bottom
left corner

FS
OR-G-D05-D

panel is notched
on top and bottom
right corner

BS
OR-G-DO6-D

panel is notched
in all 4 corners

BS

OR-G-DO7-D

panel is notched
in all 4 corners

FS
OR-G-DO8-D

panel is notched
on top and bottom
left corner