


Draco
20’ x 20’ Truss System
Dye Sub Printed



TEMPLATE IS @ 1/2 SCALE

Panels DR1-A, DR1-B, DR1-C, DR1-D:
Total Graphic Area: 50”w x 84.75”h
Finished Size: 49”w x 83.75”h

Panels DR2-A, DR2-B, DR2-C, DR2-D:
Total Graphic Area: 40.5”w x 84.75”h
Finished Size: 39.5”w x 83.75”h

Panels DR3-A, DR3-B, DR3-C, DR3-D:
Total Graphic Area: 88.5”w x 50.75”h
Finished Size: 87.5”w x 49.75”h

Panels DR4-A, DR4-B, DR4-C, DR4-D:
Total Graphic Area: 88.5”w x 50.75”h
Finished Size: 87.5”w x 49.75”h

Template requires 1/4” bleed around the
perimeter (1/2” around the perimeter when
scaled to 200% and printed)

FS = Graphic is front side mounted
(3/4” w magnet is applied to the back
of the panel)

BS = Graphic is back side mounted
(3/4” w velcro is applied to the front
of the panel)

Notching = 7/8” square that is cut into the
appropriate location.

Hinging= 3/4” strip of material that is cropped
from the panel and reapplied with hinge tape.

Allows two graphics to share the same
extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should
be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @
1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must
bleed to the edge of artboard
- Do not use spot colors from template
in your artwork as they will not print

FS
OR-G-DR1-A
panel is notched
on top left and
right corner

— bleed area
— trim line

FS
OR-G-DR2-A

BS
OR-G-DR3-A

gray area will
be obstructed
once finished —
and mounted

BS
OR-G-DR4-A

FS

OR-G-DR1-B

panel is notched
on top left and
right corner

FS
OR-G-DR2-B

BS
OR-G-DR3-B

BS
OR-G-DR4-B

FS

OR-G-DR1-C

panel is notched
on top left and
right corner

FS
OR-G-DR2-C

BS
OR-G-DR3-C

BS
OR-G-DR4-C

FS

OR-G-DR1-D

panel is notched
on top left and
right corner

FS
OR-G-DR2-D

BS
OR-G-DR3-D

BS
OR-G-DR4-D