PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME A FRONT

Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

OBSTRUCTED AREA
39.75" W x 4.75" H
This part of the graphic will be obstructed by another frame and will be printed, but not visible

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME A BACK

Graphic Dimensions: 39.75"W x 88.625"H
Yellow Safe Area: 33" W x 81" H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75" x 88.625"

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME B

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME C

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

OBSTRUCTED AREA
39.75" W x 4.75" H
This part of the graphic will be obstructed by another frame and will be printed, but not visible

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME D FRONT

Graphic Dimensions: 39.75"W x 88.625"H
Yellow Safe Area: 33" W x 81" H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75" x 88.625"

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME D BACK

Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME E

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME F

(Use same template for front and back graphics)
Graphic Dimension: 78.125"W x 88.625"H
Yellow Safe Area: 70" W x 81" H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 78.125" x 88.625"

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NO LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME G BACK

(Front graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME H BACK

(Front graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME I

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME J FRONT

(Back graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration F
FRAME K FRONT

(Back graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20