LUMIÈRE SHOWCASE LARGE





Front View



Back View



Frame

PRODUCT DESCRIPTION

Accessorize your booth with the Lumiere Showcase! Lumiere Showcase is 4-sided SEG style fabric pop up combo display that comes in small, medium or large sizes. Countertop included for small and medium sizes to use as a portable work surface. Lumiere Showcase shrinks down in size: simply collapse the geometric frame and the SEG bungeed channel bars, and fold or roll the fabric graphics. Carry bags included.

or ren are labrie graphileer earry bage included		
DISPLAY DIMENSION	21.375" W x 80.125" H x 14.5" D	
GRAPHIC DIMENSIONS		
FRONT GRAPHIC		
(INCLUDES END CAPS)	49.75″ W x 81.5″ H	
BACK GRAPHIC	21.2	25″ W x 81.5″ H
GRAPHIC MATERIAL		
Stretch Fabric		
GRAPHIC FINISHING		
Silicone beading is sewn around the perimeter of the fabric graphic. Silicone beading is hidden from view once installed.		
DISPLAY CONSTRUCTION		
Plastic, Aluminum		
SHIPPING WEIGHTS & DIMENSIONS		
Shipping Weight	21 lbs	
Shipping Dimensions	28.5" L x 7" W x 18.25" H	
LARGE QUANTITY FREIGHT		
Freight Shipping	26 boxes per 48" L x 40" W x 59.5" H skids	
Freight Weight	315 lbs	
AVAILABILI	TY	CA and PA





Optional Mini Internal Showcase






SET UP INSTRUCTIONS

Set Up Pop Up Frame



a. Place frame with the adjustable feet facing down.


Insert Channel Bars




a. Expand each channel bar. Follow bungee to connect.



e. Then locate other corner hubs.





c. Close frame by pushing the outside of the frame until male and female ends connect.




b. Locate the corner hubs on all four corners.



f. Slide and insert the ends of the channels bars onto corner hubs.



c. At each end of the sectional channel bars, locate the end hubs.



g. Slide channels bars onto frame, from top to bottom, then secure onto metal peg hub.



d. Insert the horizontal sectional channel bars and snap into place.



h. Attach the top and bottom end caps on each side of the frame.

Install Graphic



a. Install one piece graphic on the front side of the frame (Ladder Lights on the front). Start on each corner of the end caps.



b. Insert the silicone edge beading into the groove corners (top & bottom). Repeat graphic installation on other side the end caps.



c. Then insert the remainder of the beadings of the one piece graphic.



d. Repeat graphic installation on the back side of the frame.