Vega 20' x 20' Truss System Dye Sub Printed

TEMPLATE IS @ 1/2 SCALE

Panels VG1-A, VG3-A, VG5-A and VG6-A: Total Graphic Area: 43.5" w x 87.75h Finished Size: 39.5"w x 83.75"h

Panels VG2-A and VG4-A:

Total Graphic Area: 53"w x 87.75"h Finished Size: 49"w x 83.75"h

Panels VG7-A and VG8-A:

Total Graphic Area: 43.5"w x 41.75"h Finished Size: 39.5"w x 37.75"h

Panels VG1-B, VG3-B, VG5-B and VG6-B: Total Graphic Area: 43.5" w x 87.75h Finished Size: 39.5" w x 83.75" h

Panels VG2-B and VG4-B:

Total Graphic Area: 53"w x 87.75"h Finished Size: 49"w x 83.75"h

Panels VG7-B and VG8-B:

Total Graphic Area: 43.5"w x 41.75"h Finished Size: 39.5"w x 37.75"h

Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted (3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted (3/4"w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging= 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.


General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @
 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



— bleed area

— trim line



BS OR-G-VG6-A

BS OR-G-VG6-B

BS OR-G-VG5-B

gray area will be obstructed once finished and mounted

BS OR-G-VG7-A

BS OR-G-VG8-A

BS OR-G-VG8-B

BS OR-G-VG7-B

FS OR-G-VG3-A

FS OR-G-VG4-A

panel is notched on top right corner

FS OR-G-VG4-B

panel is notched on top left corner

FS OR-G-VG3-B

FS OR-G-VG2-B

FS OR-G-VG1-B

FS OR-G-VG1-A

FS OR-G-VG2-A